
ENVIRONMENTAL PRODUCT DECLARATION

IN ACCORDANCE WITH ISO 14025 AND ISO 21930:2017, OPT. EN 15804+A2

SmartEPD-2024-009-0130-01

Plyboo® RealCore® Carved Bamboo Plywood











General Information	3
Reference Standards	3
Verification Information	3
Limitations, Liability, and Ownership	4
Organization Information	4
Product Information	4
Plants	5
Product Specifications	5
Material Composition	
Software and LCI Data Sources	
EPD Data Specificity	
Renewable Electricity	
System Boundary	
Product Flow Diagram	
Life Cycle Module Descriptions	
LCA Discussion	
Results	
Environmental Impact Assessment	
Resource Use Indicators	11
Waste and output Flow Indicators	11
Carbon Emissions and Removals	12
Interpretation	13
Additional Environmental Information	13
Further Information	14
References	14

Smith & Fong





General Information

Smith & Fong

394 Bel Marin Keys Boulevard, Novato, CA 94949

\$66-835-9859



Product Name: Plyboo® RealCore® Carved Bamboo Plywood

Declared Unit: 1 kg

Declaration Number: SmartEPD-2024-009-0130-01

 Date of Issue:
 May 23, 2024

 Expiration:
 May 23, 2029

 Last updated:
 May 24, 2024

 EPD Scope:
 Cradle to gate A1 - A3

Market(s) of Applicability: North America, China

Reference Standards

Standard(s): ISO 14025 and ISO 21930:2017, opt. EN 15804+A2

Core PCR: Smart EPD® Part A Product Category Rules for Building and Construction Products and Services, v1.01

v.1.01

Date of issue: January 15, 2024 Valid until: January 15, 2029

Sub-category PCR review panel:

Contact Smart EPD for more information.

General Program Instructions: Smart EPD General Program Instructions v.1.0, November 2022

Verification Information

ACLCA PCR Guidance Version: 1.0

ACLCA PCR Conformance Level: Transparency

LCA Author/Creator: ⊕ Maria Amaya ⊠ maria.amaya@beath.us

EPD Program Operator: ☐ Smart EPD ☐ info@smartepd.com ☐ www.smartepd.com

585 Grove St., Ste. 145 PMB 966, Herndon, VA 20170, USA

Smith & Fong





Verification:	Independent critical review of the LCA and data, according to ISO 14044 and ISO 14071:	External
	⊕ Nicole Kennard Consultant Monicolejjk.17@gmail.com	
	Independent external verification of EPD, according to ISO 14025 and reference PCR(s):	External
	⊕ Anna Lasso EII Smart EPD Manna Lasso@smartepd.com	

Limitations, Liability, and Ownership

Environmental declarations from different programs (ISO 14025) may not be comparable. Comparison of the environmental performance of products using EPD information shall be based on the product's use and impacts at the building level, and therefore EPDs may not be used for comparability purposes when not considering the whole building life cycle. EPD comparability is only possible when all stages of a life cycle have been considered. However, variations and deviations are possible. Example of variations: Different LCA software and background LCI datasets may lead to differences results for upstream or downstream of the life cycle stages declared. The EPD owner has sole ownership, liability, and responsibility for the EPD.

Organization Information

Smith & Fong (S&F) was founded in 1989 on the premise that bamboo offered unique opportunities and solutions to some of the world's social and environmental challenges. S&F began with laminated bamboo boxes and accessory items, integrating form and function, aesthetics and utility. Within four years, S&F had begun manufacturing bamboo flooring and quickly exhausted manufacturing capacity at their Taiwan facility. Shortly after moving operations to China, S&F converted a tea-processing plant and began producing bamboo flooring there. In 1996, S&F developed a bamboo panel product, introducing the first such product to the North American market. Since then, S&F has continued to develop the laminate bamboo panel product, introducing new sizes, uses and applications for this versatile and highly sustainable material.

Further information can be found at: plyboo.com

Product Description

Carved bamboo plywood (flat and edge grain) is a panel product made entirely from Moso bamboo. All panels are of a 3-ply construction having a face skin on top and bottom with a perpendicular core. On a typical 3/4 (19mm) panel the face skins are approximately 3.5mm each and the core is 12mm.

Carved bamboo plywood panels can be used in a wide range of applications both commercial and residential. Applications include cabinetry and casework, furniture, store fixtures and displays, wall and ceiling panel systems, doors, and many other applications where plywood is typically utilized.

Further information can be found at: plyboo.com

Product Information

Declared Unit: 1 kg

Mass: 1 kg

Product Specificity: X Product Average

Product Specific

Smith & Fong





Averaging:

This product-specific EPD was developed based on primary annual manufacturing data for carved bamboo plywood products. The EPD represents products manufactured at one facility. This is deemed to be an accurate representation of an average carved bamboo plywood product within this product category.

Plants



China Facility Zhejiang, China



California Facility Indio, CA, USA

Product Specifications

Product Classification Codes:

Masterformat - 097413

EC3 - Finishes -> WallFinishes

Material Composition

Material/Component Category	Origin	% Mass
Bamboo	None	95
Adhesive	None	5

Packaging Material	Origin	kg Mass
Corrugated Boardbox	None	3.54E+01
Shrink Wrap	None	1.81E-03
Wood Pallet	None	1.17E+02
Particle Board	None	1.15E+02
Medium Density Fiberboard	None	5.69E-02
Metal Binding	None	2.30E+00

Hazardous Materials

No regulated hazardous or dangerous substances are included in this product.

Smith & Fong





EPD Data Specificity

Primary Data Year:	2022

× Manufacturer Average

Facility Specific

Software and LCI Data Sources

LCA Software:	8	openLCA v. 1.11				
LCI Foreground Database(s):	9	Ecoinvent v. 3.9.1	0	US, RoW	Ø	Cut-off systems model
LCI Background Database(s):		Ecoinvent v. 3.9.1	0	US, RoW	Ø	Cut-off systems model

Renewable Electricity

Renewable electricity is used: No






System Boundary

	A1	Raw material supply	/
Production		Transport	~
		Manufacturing	~
Construction	A4	Transport to site	ND
Construction	A5	Assembly / Install	ND
	В1	Use	ND
	B2	Maintenance	ND
	вз	Repair	ND
Use	В4	Replacement	ND
	В5	Refurbishment	ND
		Operational Energy Use	ND
	В7	Operational Water Use	ND
	C1	Deconstruction	ND
E 1 (1)	C2	Transport	ND
End of Life	С3	Waste Processing	ND
	C4	Disposal	ND
Benefits & Loads Beyond System Boundary	D	Recycling, Reuse Recovery Potential	ND





Product Flow Diagram



Life Cycle Module Descriptions

The carved bamboo plywood manufacturing process starts with growing and harvesting the bamboo poles, followed by a milling process and an assembly process. The raw bamboo is split and then milled through a double milling process and is kiln dried. Once the bamboo strips are dried, adhesive is applied to the strips and pressed face to face to produce a raw bamboo blank. This blank is then refined and multiple blanks are pressed together to form a piece of bamboo plywood during the assembly process. The bamboo plywood is then transported from Zhejiang, China to California, USA for the carving process. Module A1 includes the raw material processing and production of bamboo plywood. Module A2 include the transport of the bamboo plywood from Zhejiang, China to California, USA. Module A3 includes the carving process, packaging, and waste management.

LCA Discussion

Allocation Procedure

Annual production volume and product mass were used to allocate facility-level inputs, outputs, and emissions. At each of the manufacturing plants in Zhejiang, China, a portion of the bamboo trimmings/sawdust generated is used internally as fuel at the plants to generate steam. The waste bamboo products were burned to heat boilers used during the milling process in Zhejiang, China. For the bamboo plywood production process, mass-based allocation procedure was used. The rest of the bamboo coproducts generated are sold to make energy pellets and other products.

Cut-off Procedure

No cut-off criteria were defined for this analysis. All available energy and material flow data were included in accordance with the system boundary.

Smith & Fong





Data Quality Discussion

Primary data in combination with representative, secondary literature, and consistent background life cycle inventory (LCI) information from ecoinvent version 3.9.1 (Wernet, et al., 2016) and other sources were used. Primary data are from the calendar year 2022. Primary and secondary data were assessed for temporal coverage, geographical coverage, technology coverage, precision, completeness, representativeness, consistency, and reproducibility.

Smith & Fong





Results

Environmental Impact Assessment Results

IPCC AR5 GWP 100, TRACI 2.1, CML 2016

per 1 kg of product.

LCIA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks.

Impact Category	Method	Unit	A1A2A3
GWP-total	IPCC AR5 GWP 100	kg CO2 eq	1.05e+0
ODP	TRACI 2.1	kg CFC 11 eq	1.92e-8
AP	TRACI 2.1	kg SO2 eq	7.17e-3
EP	TRACI 2.1	kg N eq	2.20e-3
POCP	TRACI 2.1	kg O3 eq	1.24e-1
ADP-fossil	TRACI 2.1	МЈ	9.48e-1
ODP	CML 2016	kg CFC 11 eq	1.25e-8
AP	CML 2016	kg SO2 eq	6.65e-3
EP	CML 2016	kg PO4 eq	1.74e-3
POCP	CML 2016	kg ethylene eq	3.44e-3
ADP-fossil	CML 2016	MJ	1.26e+1

Abbreviations:

GWP = Global Warming Potential, 100 years (may also be denoted as GWP-total, GWP-fossil (fossil fuels), GWP-biogenic (biogenic sources), GWP-luluc (land use and land use change)), ODP = Ozone Depletion Potential, AP = Acidification Potential, EP = Eutrophication Potential, SFP = Smog Formation Potential, POCP = Photochemical oxidant creation potential, APF-Fossil = Abiotic depletion potential for fossil resources, ADP-Minerals&Metals = Abiotic depletion potential for non-fossil resources, WDP = Water deprivation potential, PM = Particular Matter Emissions, IRP = Ionizing radiation, human health, ETP-fw = Eco-toxicity (freshwater), HTP-c = Human toxicity (non-cancer), SQP = Soil quality index.

Comparisons cannot be made between product-specific or industry average EPDs at the design stage of a project, before a building has been specified. Comparisons may be made between product-specific or industry average EPDs at the time of product purchase when product performance and specifications have been established and serve as a functional unit for comparison. Environmental impact results shall be converted to a functional unit basis before any comparison is attempted. Any comparison of EPDs shall be subject to the requirements of ISO 21930 or EN 15804. EPDs are not comparative assertions and are either not comparable or have limited comparability when they have different system boundaries. EPDs are not comparative assertions and are either not comparable or have limited comparability when they have different system boundaries, are based on different product category rules or are missing relevant environmental impacts. Such comparison can be inaccurate, and could lead to erroneous selection of materials or products which are higher-impact, at least in some impact categories.

Smith & Fong





Resource Use Indicators

per 1 kg of product.

Indicator	Unit	A1A2A3
PERE	MJ, net calorific value	9.38e+0
PERM	MJ, net calorific value	8.15e+1
PERT	MJ, net calorific value	9.09e+1
PENRE	MJ, net calorific value	1.01e+0
PENRM	MJ, net calorific value	0
PENRT	MJ, net calorific value	1.01e+0
SM	kg	0
RSF	MJ, net calorific value	0
NRSF	MJ, net calorific value	0
RE	MJ	0
FW	m3	9.99e+0

Abbreviations:

RPRE or PERE = Renewable primary resources used as energy carrier (fuel), RPRM or PERM = Renewable primary resources with energy content used as material, RPRT or PERT = Total use of renewable primary resources with energy content, NRPRE or PENRE = Non-renewable primary resources with energy content used as material, NRPRT or PENRT = Total non-renewable primary resources with energy content used as material, NRPRT or PENRT = Total non-renewable primary resources with energy content used as material, NRPRT or PENRT = Total non-renewable primary resources with energy content, SM: Secondary materials, RSF = Renewable secondary fuels, NRSF = Non-renewable secondary fuels, RE = Recovered energy, ADPF = Abiotic depletion potential, FW = Use of net freshwater resources, VOCs = Volatile Organic Compounds.

Waste and Output Flow Indicators

per 1 kg of product.

Indicator	Unit	A1A2A3
HWD	kg	0
NHWD	kg	0
RWD	kg	0
CRU	kg	0
MFR	kg	1.37e-1
MER	kg	0
EEE	MJ	0
EET	МЈ	0

Abbreviations

HWD = Hazardous waste disposed, NHWD = Non-hazardous waste disposed, RWD = Radioactive waste disposed, HLRW = High-level radioactive waste, ILLRW = Intermediate- and low-level radioactive waste, CRU = Components for re-use, MFR or MR = Materials for recycling, MER = Materials for energy recovery, MNER = Materials for incineration, no energy recovery, EE or EEE = Recovered energy exported from the product system, EET = Exported thermal

*Data on radioactive waste disposal is not available in ecoinvent as an elementary flow. As such, impacts for HLRW and ILLRW are not reported per ACLCA guidance (ACLCA, 2018).

Smith & Fong





Carbon Emissions and Removals

per 1 kg of product.

Indicator	Unit	A1A2A3	A5	С3	C4
BCRP	kg CO2	-1.26e+1	0	0	0
BCEP	kg CO2	8.40e+0	0	0	1.83e+0
BCRK	kg CO2	-2.18e-2	0	0	0
BCEK	kg CO2	1.29e-3	2.05e-2	0	0
BCEW	kg CO2	2.34e+0	0	0	0
CCE	kg CO2	0	0	0	0
CCR	kg CO2	0	0	0	0
CWNR	kg CO2	0	0	0	0

Abbreviations

BCRP = Biogenic Carbon Removal from Product, BCEP = Biogenic Carbon Emission from Product, BCRK = Biogenic Carbon Removal from Packaging, BCEK = Biogenic Carbon Emission from Packaging, BCEW = Biogenic Carbon Emission from Packaging, BCEW = Biogenic Carbon Emission from Combustion of Waste from Renewable Sources Used in Production Processes, CCE = Calcination Carbon Emissions, CCR = Carbonation Carbon Removals, CWNR = Carbon Emissions from Combustion of Waste from Non-Renewable Sources used in Production Processes, GWP-luc = Carbon Emissions from Land-use Change.

Smith & Fong





Interpretation

Results Summary

The results of the LCA indicate that the Module A1 (bamboo plywood entering the California, USA plant) is the largest contributor to the Smith & Fong product footprint across impact categories. The largest contributor to Module A1 is the electricity and steam generation taking place during the manufacturing of the bamboo plywood. The packaging used for the carved bamboo plywood is a significant contributor. Impacts of the packaging are driven by the use of particle board. Inbound transportation of the bamboo plywood to the plant is included and is a small contributor to the product footprint. The study timeframe is for the year 2022 for Smith & Fong manufacturing in California, USA.

This study does not include comparisons or benchmarking. Environmental declarations from different programs based upon different PCRs may not be comparable.

Forest management impacts

While this EPD does not address landscape level forest management impacts, potential impacts may be addressed through requirements put forth in regional regulatory frameworks, ASTM 7612-15 guidance, and ISO 21930 Section 7.2.11 including notes therein. These documents, combined with this EPD, may provide a more complete picture of environmental and social performance of wood products.

While this EPD does not address all forest management activities that influence forest carbon, wildlife habitat, endangered species, and soil and water quality, these potential impacts may be addressed through other mechanisms such as regulatory frameworks and/or forest certification systems which, combined with this EPD, will give a more complete picture of environmental and social performance of wood products.

EPDs can complement but cannot replace tools and certifications that are designed to address environmental impacts and/or set performance thresholds – e.g. Type 1 certifications, health assessments and declarations, etc. National or regional life cycle averaged data for raw material extraction does not distinguish between extraction practices at specific sites and can greatly affect the resulting impacts.

Accuracy of Results

EPDs regularly rely on estimations of impacts; the level of accuracy in estimation of effect differs for any particular product line and reported impact when averaging data. Variability was estimated in this EPD by mass allocation.

Additional Environmental Information

Smith & Fong have the following certifications: FSC Chain of Custody Certificate, Health Product Declaration, and a Declare Certificate. Please email Dan Smith at dan@plyboo.com to request copies of the certificates.

Environmental Activities and Certifications

Certification
FSC Chain of Custody Certificate
Declare
Health Product Declaration (HPD)





Further Information

Declared Unit Properties

Category	Value
Thickess to achieve declared unit	6-38 mm
Density	690 kg/m3
Moisture content	6-9 %

References

- ACLCA (2018). ACLCA Guidance to Calculating Non-LCIA Inventory Metrics in Accordance with ISO 21930:2017.
- Bare, J. (2011). TRACI The Tool for the Reduction and Assessment of Chemical and other Environmental Impacts. CLEAN TECHNOLOGIES AND ENVIRONMENTAL
 POLICY.
- Guinée, J.B. et al. (2002). Handbook on life cycle assessment. Operational guide to the ISO standards. I: LCA in perspective. Ila: Guide. Ilb: Operational annex. III: Scientific background. Dordrecht: Kluwer Academic Publishers.
- IEA. (s.f.). China. Obtenido de https://www.iea.org/countries/china
- IPCC (2021). Climate Change 2021: The Physical Science Basis. IPCC. ISO. (2006).
- 14025:2006 Environmental labels and declarations Type III environmental declarations Principles and procedures. Geneva: International Organization of Standardization.
- ISO (2006a). 14040:2006/Amd.1:2020 Environmental management Life cycle assessment Principles and framework. Geneva: International Organization of Standardization.
- ISO (2006b). 14044:2006/Amd.1:2017/Amd.2:2020 Environmental management Life cycle assessment Requirements and guidelines. Geneva: International Organization for Standardization.
- ISO (2013). 14046:2013/Amd. 2020 Environmental management water footprint Principles, requirements and guidelines. Geneva: International Organization for Standardization.
- ISO (2017). 21930:2017/Amd.1:2023 Sustainability in buildings and civil engineering works Core rules for environmental product declarations of construction products and services. Geneva: International Organization of Standardization.
- Smart EPD (2023). Part A: Product Category Rules for Building and Construction Products v1.01.
- Wernet, G., Bauer, C., Steubing, B., Reinhard, J., Moreno-Ruiz, E., & Weidema, B. (2016). The ecoinvent database version 3 (part I): overview and methodology. The International Journal of Life Cycle Assessment, 1218-1230.